## SEQUENCE LISTING

<110> Bridgham, John Corcoran, Kevin P. Golda, George S. Pallas, Michael C. Brenner, Sydney <120> Planar Arrays of Microparticle-Bound Polynucleotides <130> 55525-8035.US00 <140> US 09/424,028 <141> 1999-11-16 <150> PCT/US98/11224 ·<151> 1998-05-22 <150> US 08/862,610 · <151> 1997-05-23 <160> 19 <170> FastSEQ for Windows Version 4.0 <210> 1 <211> 78 <212> DNA <213> Artificial Sequence ' <220> <223> primer <221> misc feature <222> (26)...(57) <223> n = A,T,C or Gactaatcgtc tcactattta attaannnnn nnnnnnnnn nnnnnnnnn nnnnnnnggt 60 tttttttt tttttv 78 <210> 2 <211> 17 <212> DNA <213> Artificial Sequence <223> synthetic fragment <400> 2 ataggggtct tcggtac 17 <210> 3 <211> 19 <212> DNA <213> Artificial Sequence <220> <223> synthetic cleavage adaptor

	•	
	<400> 3	
	gatcagctgc tgcaaattt	19
	·	
	<210> 4	
	<211> 30	
	<212> DNA ·	
	<213> Artificial Sequence	
	•	
	<220>	
	<223> synthetic encoded adaptor	
	<221> misc_feature	
	<222> (2)(4)	
	<223> n = A, T, C  or  G	
	<400> 4	
		30
	annntacage tgcatecett ggegetgagg	30
	<210> 5	
	<211> 30	
	<211> 30 <212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> synthetic encoded adaptor	
	<221> misc feature	
	<222> (1) (4)	
	$\langle 223 \rangle$ n = A,T,C or G	
	(223) II - A,1,0 OI G	
	<400> 5	
	nanntacage tgcatecetg ggeetgtaag	30
	5	
	<210> 6	
	<211> 30	
	<212> DNA	
	<213> Artificial Sequence	
-	Alloy Michigan Bequence	
	200	
	<220>	
	<223> synthetic encoded adaptor	
٠		
	<221> misc feature	
	<222> (2)(4)	
	<223> n = A,T,C or G	
	<400> 6	
	cnnntacage tgcatecett gaegggtete	30
	<210> 7	
	<211> 30	
	<212> DNA	
	<213> Artificial Sequence	
	-	
	<220>	
	<223> synthetic encoded adaptor	
	<221> misc feature	
	<222> (1) (4)	
	<223> n = A,T,C or G	

ncnntacage tgcatecetg eccgcacagt	30
<210> 8 <211> 30 <212> DNA <213> Artificial Sequence	
<220> <223> synthetic encoded adaptor	
<221> misc_feature <222> (2)(4) <223> n = A,T,C or G	
<400> 8 gnnntacagc tgcatccctt cgcctcggac	30
<210> 9 <211> 30 <212> DNA <213> Artificial Sequence	
<220> <223> synthetic encoded adaptor	
<221> misc_feature <222> (1)(4) <223> n = A,T,C or G	
<400> 9 ngnntacagc tgcatccctg atccgctagc	30
<210> 10 <211> 30 <212> DNA <213> Artificial Sequence	
<220> <223> synthetic encoded adaptor	
<221> misc_feature <222> (2)(4) <223> n = A,T,C or G	
<400> 10 tnnntacago tgcatocott cogaacoogo	30
<210> 11 <211> 30 <212> DNA <213> Artificial Sequence	
<220> <223> synthetic encoded adaptor	
<221> misc_feature <222> (1)(4) <223> n = A,T,C or G	

	<400> 11 ntnntacage tgcatecetg agggggatag .	30
	<210> 12 <211> 30 <212> DNA <213> Artificial Sequence	
	<220> <223> synthetic encoded adaptor	
	<221> misc_feature <222> (1)(4) <223> n = A,T,C or G	
-	<400> 12 nnantacago tgcatocott occgotacao	30
	<210> 13 <211> 30 <212> DNA <213> Artificial Sequence	
	<220> <223> synthetic encoded adaptor	
	<221> misc_feature <222> (1)(3) <223> n = A,T,C or G	
	<400> 13 nnnatacage tgcatecetg actecegag	30
	<210> 14 <211> 30 <212> DNA <213> Artificial Sequence	
	<220> <223> synthetic encoded adaptor	
	<221> misc_feature <222> (1)(4) <223> n = A,T,C or G	
	<400> 14 nncntacage tgcatecetg tgttgegegg	30
	<210> 15 <211> 30 <212> DNA <213> Artificial Sequence	
	<220> <223> synthetic encoded adaptor	
	<221> misc_feature <222> (1)(3) <223> n = A.T.C or G	

A ×28

<400> 15 nnnctacage tgcatecete tacageageg	30
<210> 16 <211> 30 <212> DNA <213> Artificial Sequence	
<220> <223> synthetic encoded adaptor	
<221> misc_feature <222> (1)(4) <223> n = A,T,C or G	
<400> 16 nngntacagc tgcatccctg tcgcgtcgtt	30
<210> 17 <211> 30 <212> DNA <213> Artificial Sequence	
<220> <223> synthetic encoded adaptor	
<221> misc_feature <222> (1)(3) <223> n = A,T,C or G	
<400> 17 nnngtacage tgcatecete ggageaacet	30
<210> 18 <211> 30 <212> DNA <213> Artificial Sequence	
<220> <223> synthetic encoded adaptor	
<221> misc_feature <222> (1)(4) <223> n = A,T,C or G	
<400> 18 nntntacage tgcatecetg gtgacegtag	30
<210> 19 <211> 30 <212> DNA <213> Artificial Sequence	
<220> <223> synthetic encoded adaptor	
<221> misc_feature <222> (1)(3) <223> n = A.T.C or G	